

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
November 1965

NATIONAL AGRICULTURAL LIBRARY

FEB 25 1966

CURRENT SERIAL RECORDS
January 4, 1966

Inspected Poultry - A total of 970,342,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during November 1965 under the Poultry Inspection Act carried on by the U. S. D. A. This was 6 percent less than the record amount the previous month but 14 percent more than November 1964.

The number of head and pounds (live weight) inspected by classes in November 1965 were young chickens, 153,862,000 head, 551,749,000 pounds; mature chickens, 14,333,000 head, 67,951,000 pounds; fryer-roaster turkeys, 1,865,000 head, 16,617,000 pounds; young turkeys, 15,271,000 head, 329,016,000 pounds; old turkeys, 17,000 head, 280,000 pounds; and ducks, 728,000 head, 4,729,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in November 1965 totaled 723,725,000 pounds ready-to-cook weight of which 446,003,000 pounds were chilled and 277,722,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 398,850,000 pounds; mature chickens, 44,925,000 pounds; fryer-roaster turkeys, 12,865,000 pounds; young turkeys, 261,989,000 pounds; old turkeys, 224,000 pounds; ducks, 3,361,000 pounds, and other poultry, 1,511,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in November 1965 totaled 71,305,000 pounds ready-to-cook weight, compared with 58,732,000 pounds in November 1964. The quantity used in November 1965 consisted of 11,647,000 pounds of young chickens, 27,201,000 pounds of mature chickens, 27,689,000 pounds of turkeys, and 4,768,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in Federally inspected plants during November 1965 totaled 100,670,000 pounds ready-to-cook weight compared with 73,862,000 pounds in November 1964. The breakdown by classes for November 1965 consisted of 86,044,000 pounds of young chickens, 667,000 pounds of mature chickens, 13,846,000 pounds of turkeys, and 113,000 pounds of other poultry.

Ante-mortem condemnations amounted to 1,788,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.20 percent; mature chickens, 0.39 percent; fryer-roaster turkeys, 0.25 percent; young turkeys, 0.12 percent.

Post-mortem condemnations in November 1965 amounted to 22,000,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.83 percent; mature chickens, 3.79 percent; fryer-roaster turkeys, 2.15 percent; young turkeys, 1.79 percent; old turkeys, 0.79 percent; and ducks 1.41 percent.

Poultry: Slaughtered under Federal Inspection, November 1965 with comparisons

| Class | Number inspected | | | | Pounds inspected (live weight) | | | | Average live weight | | | |
|--------------------|------------------|---------|---------|-----------|--------------------------------|-----------|---------|---------|---------------------|-----------|---------|--------|
| | November | | October | | November | | October | | November | | October | |
| | 1965 | 1964 | 1965 | 1964 | 1965 | 1964 | 1965 | 1964 | 1965 | 1964 | 1965 | 1964 |
| | Thou. | Thou. | Thou. | Thou. | pounds | pounds | pounds | pounds | pounds | pounds | pounds | pounds |
| Young chickens | 176,437 | 133,075 | 153,862 | 1,769,383 | 1,892,881 | 629,520 | 468,413 | 551,749 | 6,125,187 | 6,589,766 | 3,57 | 3,52 |
| Mature chickens 1/ | 14,197 | 14,018 | 14,333 | 120,740 | 120,892 | 66,386 | 66,038 | 67,951 | 577,958 | 573,227 | 4,68 | 4,71 |
| Total chickens | 190,634 | 147,093 | 168,195 | 1,890,123 | 2,013,773 | 695,906 | 534,451 | 619,700 | 6,703,145 | 7,162,993 | 3,65 | 3,63 |
| Fryer-roasters | 2,050 | 1,746 | 1,865 | 14,443 | 13,783 | 18,341 | 15,412 | 16,617 | 124,573 | 121,896 | 8,95 | 8,83 |
| Young turkeys 2/ | 15,020 | 13,776 | 15,271 | 61,948 | 67,172 | 309,745 | 298,185 | 329,016 | 1,219,148 | 1,318,419 | 20,62 | 21,65 |
| Old turkeys | 25 | 16 | 17 | 2,524 | 1,881 | 408 | 288 | 280 | 48,971 | 36,030 | 16,32 | 18,00 |
| Total turkeys | 17,095 | 15,538 | 17,153 | 78,915 | 82,836 | 328,494 | 313,885 | 345,913 | 1,392,692 | 1,476,345 | 19,22 | 20,20 |
| Ducks | 1,020 | 779 | 728 | 10,241 | 9,950 | 6,595 | 5,075 | 4,729 | 65,295 | 63,672 | 6,47 | 6,51 |
| Other poultry | --- | --- | --- | --- | --- | 528 | 2,757 | 2,101 | 7,841 | 5,799 | --- | --- |
| Total poultry | --- | --- | --- | --- | --- | 1,031,523 | 856,168 | 972,443 | 8,168,973 | 8,708,809 | --- | --- |

1/ Of the mature chickens inspected, the number reported in thousands as heavy fowl (broiler breeding stock) was October 1965, 2,107; November 1964 2,080; and November 1965 2,451.

2/ Of the young turkeys inspected, the number reported in thousands as young banded breeders was: October 1965, 23; November 1964 11; and November 1965 16.

Pounds certified (ready-to-cook weights)

| Class | November 1965 | | | | January-November 1964 | | | | January-November 1965 | | | |
|-----------------|---------------|---------|---------------|---------|-----------------------|---------|-----------------------|---------|-----------------------|-----------|-----------------------|-----------|
| | October 1965 | | November 1964 | | November 1965 | | January-November 1964 | | January-November 1965 | | January-November 1965 | |
| | Chilled | Frozen | Chilled | Frozen | Chilled | Frozen | Chilled | Frozen | Chilled | Frozen | Chilled | Frozen |
| | pounds | pounds | pounds | pounds | pounds | pounds | pounds | pounds | pounds | pounds | pounds | pounds |
| Young chickens | 400,312 | 56,609 | 456,921 | 296,697 | 42,506 | 339,303 | 344,045 | 54,805 | 398,850 | 3,918,419 | 515,441 | 4,433,860 |
| Mature chickens | 34,192 | 9,935 | 44,127 | 32,152 | 12,087 | 44,239 | 34,761 | 10,164 | 44,925 | 255,498 | 133,402 | 388,900 |
| Total chickens | 434,504 | 66,544 | 501,048 | 328,849 | 54,593 | 383,542 | 378,806 | 64,969 | 443,775 | 4,173,917 | 648,843 | 4,822,760 |
| Fryer-roasters | 3,219 | 11,016 | 14,235 | 1,604 | 10,304 | 11,908 | 2,629 | 10,236 | 12,865 | 14,738 | 81,481 | 96,219 |
| Young turkeys | 41,012 | 206,541 | 247,553 | 42,264 | 196,230 | 238,494 | 64,276 | 197,713 | 261,989 | 121,437 | 853,421 | 974,858 |
| Old turkeys | 48 | 279 | 327 | 25 | 207 | 232 | 30 | 194 | 224 | 4,244 | 34,845 | 39,089 |
| Total turkeys | 44,279 | 217,836 | 262,115 | 43,893 | 206,741 | 250,634 | 66,935 | 208,143 | 275,078 | 140,419 | 969,747 | 1,110,166 |
| Ducks | 174 | 4,541 | 4,715 | 379 | 3,173 | 3,552 | 229 | 3,132 | 3,361 | 1,737 | 44,622 | 46,359 |
| Other poultry | 9 | 329 | 338 | 27 | 1,958 | 1,985 | 33 | 1,478 | 1,511 | 136 | 5,138 | 5,274 |
| Total poultry | 478,966 | 289,250 | 768,216 | 373,148 | 266,565 | 639,713 | 446,003 | 277,722 | 723,725 | 4,316,209 | 1,668,350 | 5,984,559 |

4,770,320 1,611,399 6,381,719

Poultry: Condemnations of poultry slaughtered under Federal Inspection, November 1965 with comparisons

| Class | Ante-mortem condemnations | | | | | | | | | | Post-mortem condemnations | | | | | | | | | |
|-----------------|---------------------------|-------|--------|--------|---------|----------------------|--------|--------|--------|---------|---------------------------|--------|---------|---------|---------|---------------------------|---------|---------|---------|---------|
| | Pounds (live weight) | | | | | Pounds (live weight) | | | | | Pounds (N.Y. dressed wt.) | | | | | Pounds (N.Y. dressed wt.) | | | | |
| | 1964 | 1965 | 1964 | 1965 | Percent | 1964 | 1965 | 1964 | 1965 | Percent | 1964 | 1965 | 1964 | 1965 | Percent | 1964 | 1965 | 1964 | 1965 | Percent |
| Young chickens | 898 | 1,000 | 1,000 | 1,000 | 0.19 | 1,000 | 1,000 | 1,000 | 1,000 | 2.40 | 1,000 | 1,000 | 1,000 | 1,000 | 2.83 | 1,000 | 1,000 | 1,000 | 1,000 | 2.83 |
| Mature chickens | 240 | 1,087 | 14,426 | 15,503 | .36 | 14,426 | 15,503 | 10,079 | 10,079 | 3.51 | 2,078 | 2,311 | 16,234 | 17,897 | 3.79 | 16,234 | 17,897 | 16,234 | 17,897 | 3.79 |
| Total chickens | 1,138 | 1,349 | 16,695 | 18,066 | .21 | 16,695 | 18,066 | 12,157 | 12,157 | 2.53 | 12,157 | 16,324 | 153,648 | 172,935 | 2.93 | 153,648 | 172,935 | 153,648 | 172,935 | 2.93 |
| Fryer-roasters | 27 | 42 | 213 | 237 | .17 | 213 | 237 | 234 | 234 | 1.69 | 234 | 320 | 1,685 | 1,867 | 2.15 | 1,685 | 1,867 | 1,685 | 1,867 | 2.15 |
| Young turkeys | 411 | 395 | 1,646 | 1,882 | .14 | 1,646 | 1,882 | 4,517 | 4,517 | 1.69 | 4,517 | 5,286 | 17,106 | 19,424 | 1.79 | 17,106 | 19,424 | 17,106 | 19,424 | 1.79 |
| Old turkeys 3/ | --- | --- | 59 | 41 | --- | 59 | 41 | 1 | 1 | .39 | 1 | 2 | 951 | 755 | .79 | 951 | 755 | 951 | 755 | .79 |
| Total turkeys | 438 | 437 | 1,918 | 2,160 | .14 | 1,918 | 2,160 | 4,752 | 4,752 | 1.68 | 4,752 | 5,608 | 19,742 | 22,046 | 1.80 | 19,742 | 22,046 | 19,742 | 22,046 | 1.80 |
| Ducks 3/ | --- | --- | 11 | 14 | --- | 11 | 14 | 56 | 56 | 1.23 | 56 | 60 | 832 | 697 | 1.41 | 832 | 697 | 832 | 697 | 1.41 |
| Other poultry | 2 | 2 | 7 | 9 | .06 | 7 | 9 | 20 | 20 | .81 | 20 | 8 | 85 | 31 | .42 | 85 | 31 | 85 | 31 | .42 |
| Total | 1,578 | 1,788 | 18,631 | 20,249 | .18 | 18,631 | 20,249 | 16,985 | 16,985 | 2.21 | 16,985 | 22,000 | 174,307 | 195,709 | 2.52 | 174,307 | 195,709 | 174,307 | 195,709 | 2.52 |

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

Poultry: Inspected for canning and other processed foods, November 1965 with comparisons 1/

| Class | Pounds used ready-to-cook weight | | | | | | | | | | Pounds condemned ready-to-cook weight | | | | | | | | | |
|-------------------|----------------------------------|--------|---------|---------|---------|----------|-----------|------|------|---------|---------------------------------------|------|------|------|---------|----------|------|------|------|---------|
| | October | | | | | November | | | | | October | | | | | November | | | | |
| | 1965 | 1964 | 1965 | 1964 | Percent | 1965 | 1964 | 1965 | 1964 | Percent | 1965 | 1964 | 1965 | 1964 | Percent | 1965 | 1964 | 1965 | 1964 | Percent |
| Young chickens | 11,127 | 9,288 | 113,574 | 126,324 | 11.647 | 113,574 | 126,324 | 27 | 27 | 114 | 27 | 7 | 30 | 114 | 267 | 114 | 267 | 114 | 267 | 114 |
| Further processed | 96,894 | 66,008 | 86,044 | 772,058 | 86.044 | 772,058 | 911,416 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Cut up | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Mature chickens | 28,188 | 24,153 | 27,201 | 232,198 | 27.201 | 232,198 | 282,841 | 12 | 12 | 173 | 12 | 17 | 17 | 173 | 205 | 173 | 205 | 173 | 205 | 173 |
| Further processed | 592 | 758 | 667 | 8,855 | 667 | 8,855 | 10,263 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Cut up | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Turkeys | 27,524 | 21,676 | 27,689 | 190,492 | 27.689 | 190,492 | 224,146 | 6 | 6 | 68 | 6 | 14 | 2 | 68 | 79 | 68 | 79 | 68 | 79 | 68 |
| Further processed | 15,497 | 6,989 | 13,846 | 54,355 | 13,846 | 54,355 | 87,017 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Cut up | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Other poultry 2/ | 3,468 | 3,615 | 4,768 | 36,421 | 4.768 | 36,421 | 39,548 | 2 | 2 | 112 | 2 | 3 | 5 | 112 | 25 | 112 | 25 | 112 | 25 | 112 |
| Further processed | 60 | 107 | 113 | 656 | 113 | 656 | 693 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Cut up | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Total | 70,307 | 58,732 | 71,305 | 572,685 | 71.305 | 572,685 | 672,859 | 47 | 47 | 467 | 47 | 41 | 54 | 467 | 576 | 467 | 576 | 467 | 576 | 467 |
| Further processed | 113,043 | 73,862 | 100,670 | 835,924 | 100.670 | 835,924 | 1,009,389 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Cut up | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.

2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, November 1964 and 1965

| Region and State | Number inspected | | Pounds inspected (live weight) | | Average live weight inspected 1/ | | Total pounds certified (Ready-to-cook wt.) | | Post-mortem condemnations | |
|------------------|------------------|---------|--------------------------------|---------|----------------------------------|--------|--|---------|---------------------------|---------|
| | 1964 | 1965 | 1964 | 1965 | 1964 | 1965 | 1964 | 1965 | 1964 | 1965 |
| | Thou. | Thou. | pounds | pounds | Pounds | Pounds | pounds | pounds | pounds | Percent |
| N. Atl. | 11,468 | 11,658 | 45,646 | 48,835 | 3.98 | 4.19 | 32,863 | 35,221 | 994 | 2.43 |
| E. N. Cent. | 2,090 | 2,318 | 8,326 | 9,497 | 3.98 | 4.10 | 6,956 | 7,966 | 120 | 1.61 |
| W. N. Cent. | 3,107 | 3,401 | 10,954 | 12,354 | 3.53 | 3.63 | 7,807 | 8,746 | 220 | 2.24 |
| S. Atl. | 57,097 | 63,516 | 202,076 | 228,625 | 3.54 | 3.60 | 147,171 | 165,395 | 4,739 | 2.61 |
| S. Cent. | 56,365 | 69,558 | 190,338 | 239,482 | 3.38 | 3.44 | 137,376 | 173,200 | 3,769 | 2.20 |
| West | 2,948 | 3,411 | 11,073 | 12,956 | 3.76 | 3.80 | 7,931 | 9,332 | 237 | 2.38 |
| U. S. | 133,075 | 153,862 | 468,413 | 551,749 | 3.52 | 3.59 | 339,303 | 398,850 | 10,079 | 2.40 |
| Maine | 4,639 | 4,519 | 19,234 | 19,460 | 4.15 | 4.31 | 14,165 | 14,402 | 403 | 2.33 |
| Conn. 3/ | 602 | --- | 2,191 | --- | 3.64 | --- | 1,544 | --- | 54 | 2.76 |
| N. J. 3/ | 24 | --- | 115 | --- | 4.79 | --- | 38 | --- | 2 | 1.95 |
| Pa. | 5,871 | 6,332 | 22,596 | 25,874 | 3.85 | 4.09 | 16,204 | 18,486 | 506 | 2.49 |
| Ohio | 306 | 140 | 1,423 | 814 | 4.65 | 5.80 | 1,051 | 594 | 22 | 1.71 |
| Ind. | 685 | 903 | 2,229 | 3,175 | 3.25 | 3.51 | 1,640 | 2,354 | 29 | 1.46 |
| Ill.-Mich. 4/ | 60 | 63 | 385 | 418 | 6.42 | 6.63 | 290 | 300 | 7 | 2.02 |
| Wis. | 1,039 | 1,212 | 4,289 | 5,090 | 4.13 | 4.20 | 3,174 | 3,708 | 62 | 1.62 |
| Minn. | 606 | 593 | 2,575 | 2,502 | 4.25 | 4.22 | 1,891 | 1,758 | 30 | 1.33 |
| Iowa | 102 | 116 | 761 | 796 | 7.44 | 6.84 | 576 | 593 | 5 | 0.74 |
| Mo. | 2,393 | 2,667 | 7,574 | 8,926 | 3.17 | 3.35 | 5,308 | 6,301 | 185 | 2.72 |
| Del. | 5,879 | 6,589 | 22,776 | 25,238 | 3.87 | 3.83 | 16,753 | 18,186 | 565 | 2.76 |
| Md. | 8,039 | 9,081 | 30,759 | 33,743 | 3.83 | 3.72 | 21,947 | 24,174 | 876 | 3.17 |
| Va. | 3,114 | 3,082 | 9,899 | 9,767 | 3.18 | 3.17 | 6,814 | 6,792 | 316 | 3.56 |
| N. C. | 14,486 | 16,738 | 50,607 | 60,273 | 3.49 | 3.60 | 36,746 | 44,023 | 875 | 1.93 |
| S. C. | 1,323 | 1,724 | 4,778 | 6,204 | 3.61 | 3.60 | 3,459 | 4,425 | 112 | 2.60 |
| Ga. | 23,148 | 25,114 | 79,580 | 89,409 | 3.44 | 3.56 | 58,875 | 64,974 | 1,900 | 2.66 |
| Ky. | 1,606 | 1,738 | 5,526 | 6,075 | 3.44 | 3.50 | 3,973 | 4,360 | 77 | 1.55 |
| Tenn. | 3,643 | 3,963 | 12,478 | 13,718 | 3.43 | 3.46 | 9,183 | 10,014 | 206 | 1.84 |
| Ala. | 12,897 | 16,438 | 44,047 | 57,993 | 3.42 | 3.53 | 32,335 | 42,389 | 750 | 1.89 |
| Miss. | 10,011 | 11,661 | 33,788 | 40,169 | 3.38 | 3.44 | 24,728 | 29,556 | 687 | 2.26 |
| Ark. | 17,693 | 23,238 | 58,576 | 77,651 | 3.31 | 3.34 | 41,441 | 55,327 | 1,263 | 2.40 |
| La.-Okla. 4/ | 2,905 | 3,787 | 10,002 | 13,104 | 3.44 | 3.46 | 7,193 | 9,488 | 232 | 2.58 |
| Texas | 7,610 | 8,733 | 25,921 | 30,772 | 3.41 | 3.52 | 18,523 | 22,066 | 554 | 2.38 |
| Idaho | 300 | 362 | 1,153 | 1,250 | 3.84 | 3.45 | 837 | 915 | 25 | 2.39 |
| Wash. | 609 | 747 | 2,255 | 2,864 | 3.71 | 3.84 | 1,610 | 2,051 | 34 | 1.71 |
| Calif. | 1,749 | 1,974 | 6,612 | 7,619 | 3.78 | 3.86 | 4,704 | 5,460 | 162 | 2.72 |

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem, by regions and selected States, November 1965

| Region and State | Tuber- : culosis: | | Leu- : kosis : | | Septi- : cemia : | | Airsac- : culitis : | | Synovitis : : | | Tumors : : | | Bruises : : | | Cadaver : ination : | | Contam- : scald : | | Over- : : | | Other : : | | Total : : | |
|---------------------|----------------------|---------|-------------------|-----------|---------------------|--------|------------------------|---------|------------------|--------|---------------|-----------|----------------|-----|------------------------|-----|----------------------|-----|--------------|-----|--------------|-----|--------------|-----|
| | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. |
| N. Atl. | --- | 119,703 | 83,264 | 109,448 | 14,734 | 1,160 | 1,749 | 8,986 | 10,788 | 2,891 | 10,818 | 363,541 | | | | | | | | | | | | |
| E. N. Cent. | --- | 4,319 | 10,213 | 29,412 | 793 | 479 | 762 | 1,850 | 2,431 | 193 | 1,533 | 51,985 | | | | | | | | | | | | |
| W. N. Cent. | --- | 15,100 | 21,805 | 30,135 | 1,859 | 292 | 966 | 4,446 | 3,072 | 587 | 2,942 | 81,207 | | | | | | | | | | | | |
| S. Atl. | --- | 578,647 | 350,007 | 587,870 | 56,199 | 5,524 | 17,781 | 54,593 | 88,038 | 4,855 | 63,283 | 1,806,797 | | | | | | | | | | | | |
| S. Cent. | --- | 175,291 | 349,026 | 756,163 | 86,997 | 7,878 | 19,988 | 54,217 | 79,167 | 5,358 | 85,495 | 1,619,580 | | | | | | | | | | | | |
| West | --- | 18,587 | 22,390 | 23,845 | 4,408 | 587 | 1,354 | 2,583 | 4,513 | 1,021 | 6,019 | 85,307 | | | | | | | | | | | | |
| U. S. | 3 | 911,647 | 836,705 | 1,536,873 | 164,990 | 15,920 | 42,600 | 126,675 | 188,009 | 14,905 | 170,090 | 4,008,417 | | | | | | | | | | | | |
| Maine | --- | 32,544 | 24,864 | 13,370 | 4,725 | 350 | 714 | 3,166 | 2,827 | 796 | 2,408 | 85,764 | | | | | | | | | | | | |
| Pa. | --- | 80,642 | 51,590 | 94,245 | 8,975 | 650 | 872 | 4,620 | 6,944 | 2,090 | 7,072 | 257,700 | | | | | | | | | | | | |
| Ohio | --- | 346 | 725 | 2,412 | 104 | 131 | 31 | 98 | 329 | 19 | 1,229 | 5,424 | | | | | | | | | | | | |
| Ind. | --- | 1,978 | 2,723 | 4,811 | 279 | 39 | 179 | 993 | 838 | 12 | 106 | 11,958 | | | | | | | | | | | | |
| Ill.-Mich. 1/ | --- | 569 | 658 | 149 | 4 | 144 | 12 | 130 | 148 | 4 | 40 | 1,858 | | | | | | | | | | | | |
| Wis. | --- | 1,426 | 6,107 | 22,040 | 406 | 165 | 540 | 629 | 1,116 | 158 | 158 | 32,745 | | | | | | | | | | | | |
| Minn. | --- | 1,224 | 1,915 | 235 | 33 | 73 | 167 | 263 | 711 | 47 | 144 | 4,712 | | | | | | | | | | | | |
| Iowa | 3 | 346 | 342 | 51 | 11 | 47 | 59 | 40 | 24 | 1 | 254 | 1,178 | | | | | | | | | | | | |
| Mo. | --- | 13,495 | 19,482 | 29,758 | 1,815 | 168 | 733 | 4,139 | 2,299 | 537 | 2,642 | 75,068 | | | | | | | | | | | | |
| Del. | --- | 126,434 | 28,119 | 87,944 | 4,466 | 426 | 946 | 3,583 | 6,289 | 178 | 6,482 | 264,867 | | | | | | | | | | | | |
| Md. | --- | 134,243 | 61,351 | 148,905 | 12,956 | 847 | 1,371 | 6,352 | 7,448 | 108 | 2,980 | 376,561 | | | | | | | | | | | | |
| Va. | --- | 31,633 | 20,680 | 25,863 | 2,965 | 70 | 545 | 1,800 | 3,332 | 70 | 531 | 87,489 | | | | | | | | | | | | |
| N. C. | --- | 104,355 | 96,964 | 128,598 | 14,416 | 1,537 | 6,283 | 19,115 | 29,073 | 2,238 | 14,349 | 416,928 | | | | | | | | | | | | |
| S. C. | --- | 35,909 | 8,628 | 10,252 | 359 | 116 | 526 | 1,622 | 2,144 | 337 | 2,052 | 61,945 | | | | | | | | | | | | |
| Ga. | --- | 141,975 | 124,797 | 179,709 | 17,864 | 2,444 | 7,708 | 21,330 | 38,828 | 1,859 | 35,078 | 571,592 | | | | | | | | | | | | |
| Ky. | --- | 1,880 | 5,751 | 13,183 | 656 | 148 | 423 | 875 | 1,256 | 48 | 3,692 | 27,912 | | | | | | | | | | | | |
| Tenn. | --- | 13,240 | 16,587 | 26,245 | 3,074 | 223 | 701 | 2,195 | 4,729 | 153 | 10,172 | 77,319 | | | | | | | | | | | | |
| Ala. | --- | 34,964 | 88,129 | 158,057 | 16,393 | 1,823 | 3,216 | 11,110 | 18,738 | 765 | 15,582 | 348,782 | | | | | | | | | | | | |
| Miss. | --- | 25,547 | 32,023 | 124,935 | 9,935 | 1,376 | 4,240 | 9,668 | 14,279 | 1,481 | 13,258 | 236,742 | | | | | | | | | | | | |
| Ark. | --- | 71,563 | 132,092 | 307,522 | 26,454 | 2,100 | 6,560 | 20,211 | 27,222 | 2,311 | 24,680 | 620,715 | | | | | | | | | | | | |
| La.-Okla. 1/ | --- | 10,782 | 27,061 | 32,895 | 8,830 | 507 | 1,174 | 2,058 | 3,044 | 140 | 2,120 | 88,611 | | | | | | | | | | | | |
| Texas | --- | 17,315 | 47,383 | 93,326 | 21,650 | 1,701 | 3,674 | 8,100 | 9,899 | 460 | 15,991 | 219,499 | | | | | | | | | | | | |
| Idaho | --- | 2,273 | 1,567 | 1,676 | 17 | 9 | 293 | 130 | 598 | 40 | 651 | 7,254 | | | | | | | | | | | | |
| Wash. | --- | 304 | 5,482 | 1,676 | 3,206 | 101 | 198 | 483 | 506 | 170 | 3,253 | 17,842 | | | | | | | | | | | | |
| Calif. | --- | 14,881 | 12,234 | 17,299 | 1,173 | 432 | 781 | 1,836 | 2,955 | 795 | 1,320 | 53,706 | | | | | | | | | | | | |

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, November 1964 and 1965

| Region and State | Number inspected | Pounds | | Average live weight | | Total pounds certified | | Pounds (NYD) | | Percent | |
|------------------|------------------|--------|--------|---------------------|--------|------------------------|--------|--------------|--------|---------|---------|
| | | 1964 | 1965 | 1964 | 1965 | 1964 | 1965 | 1964 | 1965 | 1964 | 1965 |
| N. Atl. | Thou. | 1,000 | 1,000 | Pounds | Pounds | pounds | pounds | pounds | pounds | Percent | Percent |
| E. N. Cent. | 2,227 | 11,129 | 10,478 | 5.00 | 4.91 | 7,392 | 6,844 | 231 | 250 | 2.31 | 2.66 |
| W. N. Cent. | 1,866 | 7,915 | 7,854 | 4.24 | 4.22 | 5,387 | 5,165 | 189 | 202 | 2.66 | 2.88 |
| S. Atl. | 4,269 | 17,930 | 16,340 | 4.20 | 4.34 | 11,757 | 10,598 | 737 | 689 | 4.59 | 4.70 |
| S. Cent. | 2,648 | 14,385 | 15,624 | 5.43 | 5.22 | 9,788 | 10,451 | 386 | 489 | 2.99 | 3.49 |
| West | 1,663 | 8,818 | 12,625 | 5.30 | 5.26 | 6,054 | 8,631 | 292 | 451 | 3.70 | 3.98 |
| | 1,345 | 5,861 | 5,030 | 4.36 | 4.25 | 3,861 | 3,236 | 243 | 230 | 4.62 | 5.10 |
| U. S. | 14,018 | 66,038 | 67,951 | 4.71 | 4.74 | 44,239 | 44,925 | 2,078 | 2,311 | 3.51 | 3.79 |
| Maine | 408 | 2,537 | 3,347 | 6.21 | 6.05 | 1,836 | 2,317 | 48 | 77 | 2.11 | 2.56 |
| N. J. | 1,093 | 4,685 | 4,911 | 4.29 | 4.25 | 2,891 | 3,040 | 108 | 130 | 2.56 | 2.97 |
| Pa. | 363 | 1,880 | 1,584 | 5.17 | 5.49 | 1,222 | 1,041 | 33 | 29 | 1.96 | 2.04 |
| Ohio | 537 | 2,258 | 2,171 | 4.21 | 4.21 | 1,503 | 1,424 | 56 | 75 | 2.78 | 3.86 |
| Ind. | 700 | 3,037 | 3,121 | 4.34 | 4.30 | 2,107 | 2,048 | 73 | 55 | 2.67 | 1.99 |
| Ill. | 516 | 2,080 | 2,211 | 4.03 | 4.04 | 1,407 | 1,455 | 42 | 59 | 2.25 | 2.98 |
| Wis. | 113 | 539 | 340 | 4.75 | 4.95 | 369 | 232 | 18 | 12 | 3.62 | 3.79 |
| Minn. | 1,766 | 7,116 | 6,829 | 4.03 | 4.01 | 4,600 | 4,303 | 343 | 339 | 5.39 | 5.56 |
| Iowa | 356 | 1,461 | 815 | 4.10 | 4.14 | 951 | 542 | 41 | 28 | 3.14 | 3.88 |
| Mo. | 956 | 4,644 | 4,485 | 4.86 | 5.63 | 3,119 | 3,049 | 121 | 107 | 2.92 | 2.66 |
| N.Dak.-S.Dak. 3/ | 58 | 239 | 340 | 4.12 | 4.47 | 158 | 220 | 16 | 15 | 7.48 | 4.93 |
| Del. | 30 | 220 | 225 | 7.24 | 7.19 | 157 | 160 | 4 | 5 | 2.31 | 2.42 |
| Md. | 612 | 2,501 | 3,101 | 4.09 | 4.09 | 1,629 | 2,074 | 46 | 91 | 2.05 | 3.27 |
| Va. | 116 | 684 | 732 | 5.90 | 6.67 | 476 | 503 | 15 | 19 | 2.50 | 2.78 |
| N. C. | 769 | 4,783 | 4,512 | 6.22 | 6.34 | 3,320 | 3,103 | 129 | 141 | 3.01 | 3.46 |
| S. C. | 33 | 226 | 199 | 6.91 | 7.37 | 158 | 147 | 6 | 6 | 2.90 | 3.36 |
| Ga. | 927 | 5,269 | 5,035 | 5.69 | 5.24 | 3,595 | 3,974 | 162 | 201 | 3.43 | 3.72 |
| Ky. 4/ | 59 | 301 | 301 | 5.13 | --- | 209 | --- | 11 | --- | 4.08 | --- |
| Tenn. | 238 | 1,298 | 1,802 | 5.46 | 5.24 | 906 | 1,217 | 46 | 62 | 3.99 | 3.89 |
| Ala. | 112 | 727 | 824 | 6.47 | 7.73 | 520 | 610 | 22 | 31 | 3.44 | 4.21 |
| Miss. | 730 | 3,276 | 4,407 | 4.49 | 4.46 | 2,237 | 3,002 | 103 | 139 | 3.53 | 3.52 |
| Ark. | 165 | 1,203 | 2,052 | 7.30 | 7.52 | 846 | 1,463 | 35 | 60 | 3.25 | 3.24 |
| La.-Okla. 3/ | 64 | 417 | 1,000 | 6.52 | 4.98 | 287 | 657 | 17 | 38 | 4.54 | 4.24 |
| Texas | 295 | 1,596 | 2,466 | 5.42 | 5.24 | 1,049 | 1,630 | 58 | 120 | 4.05 | 5.42 |
| Idaho | 19 | 81 | 168 | 4.27 | 4.93 | 56 | 118 | 3 | 4 | 4.54 | 2.74 |
| Wash. | 139 | 603 | 432 | 4.32 | 4.35 | 385 | 281 | 21 | 15 | 3.87 | 4.05 |
| Calif. | 1,112 | 4,859 | 4,083 | 4.37 | 4.22 | 3,211 | 2,602 | 211 | 198 | 4.85 | 5.41 |

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, November 1965

| Region and State | Tuber- culosis | | Leu- kosis | | Septi- cemia | | Airsac- culitis | | Syno- vitis | | Tumors | | Bruises | | Cadaver | | Contam- ination | | Over- scald | | Other | | Total |
|---------------------|-------------------|--------|---------------|-------|-----------------|--------|--------------------|--------|----------------|-------|--------|---------|---------|-----|---------|-----|--------------------|-----|----------------|-----|-------|--|-------|
| | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | | |
| N. Atl. | 268 | 4,582 | 32,040 | 33 | 1,148 | 8,452 | 461 | 3,093 | 3,862 | 345 | 9,574 | 63,858 | | | | | | | | | | | |
| E. N. Cent. | 6,098 | 5,272 | 25,533 | 36 | 139 | 13,163 | 1,001 | 2,088 | 4,844 | 207 | 3,123 | 61,504 | | | | | | | | | | | |
| W. N. Cent. | 54,120 | 14,145 | 60,215 | 1,103 | 324 | 25,429 | 2,818 | 2,179 | 12,061 | 723 | 26,840 | 199,957 | | | | | | | | | | | |
| S. Atl. | 184 | 7,334 | 54,095 | 793 | 4,317 | 13,854 | 1,693 | 8,142 | 11,981 | 210 | 11,679 | 114,282 | | | | | | | | | | | |
| S. Cent. | 3 | 12,469 | 40,422 | 686 | 2,576 | 16,707 | 1,524 | 3,750 | 10,468 | 481 | 13,297 | 102,383 | | | | | | | | | | | |
| West | --- | 1,222 | 25,802 | 39 | 220 | 17,411 | 811 | 553 | 3,165 | 443 | 12,776 | 62,442 | | | | | | | | | | | |
| U. S. | 60,673 | 45,024 | 238,107 | 2,690 | 8,724 | 95,016 | 8,308 | 19,805 | 46,381 | 2,409 | 77,289 | 604,426 | | | | | | | | | | | |
| Maine | --- | 1,308 | 9,410 | 16 | 825 | 1,376 | 61 | 486 | 1,405 | 20 | 99 | 15,006 | | | | | | | | | | | |
| N. J. | 247 | 2,331 | 17,115 | 5 | 277 | 5,829 | 251 | 2,242 | 1,717 | 290 | 8,653 | 38,957 | | | | | | | | | | | |
| Pa. | 15 | 735 | 3,745 | 12 | 27 | 591 | 121 | 171 | 637 | 10 | 609 | 6,673 | | | | | | | | | | | |
| Ohio | 458 | 2,351 | 10,016 | 6 | 82 | 3,955 | 256 | 877 | 2,887 | 14 | 2,129 | 23,031 | | | | | | | | | | | |
| Ind. | 782 | 2,014 | 5,556 | 13 | 38 | 4,811 | 575 | 695 | 1,177 | 36 | 361 | 16,058 | | | | | | | | | | | |
| Ill. | 4,022 | 396 | 8,103 | 5 | 6 | 4,048 | 138 | 445 | 587 | 155 | 591 | 18,496 | | | | | | | | | | | |
| Wis. | 836 | 508 | 1,714 | 12 | 13 | 273 | 14 | 53 | 191 | 1 | 41 | 3,656 | | | | | | | | | | | |
| Minn. | 22,187 | 2,964 | 27,625 | 71 | 85 | 17,248 | 1,717 | 1,011 | 8,185 | 600 | 16,142 | 97,835 | | | | | | | | | | | |
| Iowa | 1,722 | 520 | 3,695 | 13 | 2 | 1,277 | 163 | 159 | 980 | 10 | 193 | 8,734 | | | | | | | | | | | |
| Mo. | 2,033 | 1,957 | 14,153 | 179 | 95 | 1,678 | 341 | 730 | 919 | 71 | 2,085 | 24,241 | | | | | | | | | | | |
| N. Dak.-S. Dak. 1/ | 2,706 | 347 | 1,599 | 58 | --- | 773 | 90 | 36 | 158 | 16 | 132 | 5,915 | | | | | | | | | | | |
| Del. | --- | 229 | 404 | 23 | 7 | 64 | 2 | 26 | 68 | 1 | 61 | 885 | | | | | | | | | | | |
| Md. | 184 | 2,173 | 10,658 | 417 | 2,329 | 385 | 248 | 3,568 | 1,713 | 60 | 405 | 22,140 | | | | | | | | | | | |
| Va. | --- | 284 | 2,843 | 8 | 74 | 310 | 42 | 80 | 332 | 3 | 10 | 3,986 | | | | | | | | | | | |
| N. C. | --- | 2,608 | 16,719 | 165 | 985 | 2,095 | 458 | 1,096 | 4,384 | 59 | 1,307 | 29,876 | | | | | | | | | | | |
| S. C. | --- | 119 | 299 | 15 | 89 | 48 | 8 | 11 | 97 | --- | 149 | 835 | | | | | | | | | | | |
| Ga. | --- | 1,239 | 21,428 | 150 | 759 | 8,791 | 784 | 3,232 | 4,769 | 68 | 7,937 | 49,157 | | | | | | | | | | | |
| Tenn. | --- | 822 | 5,487 | 87 | 1,063 | 2,592 | 124 | 221 | 2,052 | 55 | 1,625 | 14,128 | | | | | | | | | | | |
| Ala. | --- | 135 | 1,639 | 36 | 120 | 326 | 26 | 93 | 1,848 | 2 | 145 | 4,370 | | | | | | | | | | | |
| Miss. | --- | 806 | 12,778 | 45 | 352 | 12,288 | 621 | 2,511 | 3,351 | 52 | 1,911 | 34,715 | | | | | | | | | | | |
| Ark. | --- | 450 | 4,813 | 359 | 337 | 280 | 61 | 154 | 1,058 | 13 | 872 | 8,397 | | | | | | | | | | | |
| La.-Okla. 1/ | 3 | 559 | 5,129 | 82 | 295 | 492 | 86 | 411 | 625 | 52 | 1,661 | 9,395 | | | | | | | | | | | |
| Texas | --- | 9,691 | 10,397 | 77 | 408 | 662 | 601 | 354 | 1,496 | 307 | 7,083 | 31,076 | | | | | | | | | | | |
| Idaho | --- | 50 | 671 | 3 | 2 | 208 | 12 | 19 | 140 | 6 | 70 | 1,181 | | | | | | | | | | | |
| Wash. | --- | 180 | 1,649 | 1 | 22 | 399 | 53 | 21 | 182 | 6 | 1,467 | 3,980 | | | | | | | | | | | |
| Calif. | --- | 751 | 21,165 | 28 | 196 | 16,578 | 696 | 358 | 2,715 | 426 | 10,667 | 53,580 | | | | | | | | | | | |

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, November 1964 and 1965

| Region and State | Number inspected | Pounds inspected (live weight) | Average live weight inspected 1/ | | Total pounds certified | | Post-mortem condemnations | |
|----------------------|------------------|--------------------------------|----------------------------------|-------|------------------------|---------|---------------------------|---------|
| | | | 1964 | 1965 | 1964 | 1965 | 1964 | 1965 |
| | Thou. | pounds | | | pounds | pounds | pounds | Percent |
| N. Atl. | 509 | 10,244 | 11,560 | 20.13 | 8,006 | 9,037 | 86 | 0.93 |
| E. N. Cent. | 1,919 | 41,391 | 42,950 | 21.57 | 33,261 | 34,379 | 513 | 1.38 |
| W. N. Cent. | 4,747 | 105,391 | 116,592 | 22.20 | 85,191 | 93,734 | 1,570 | 1.66 |
| S. Atl. | 1,418 | 28,382 | 31,718 | 20.02 | 22,046 | 24,694 | 564 | 2.21 |
| S. Cent. | 1,961 | 43,302 | 49,119 | 22.08 | 33,969 | 39,034 | 766 | 1.97 |
| West | 3,222 | 69,475 | 77,077 | 21.56 | 56,021 | 61,111 | 1,018 | 1.63 |
| U. S. | 13,776 | 298,185 | 329,016 | 21.65 | 238,494 | 261,989 | 4,517 | 1.69 |
| Pa. | 371 | 7,416 | 8,114 | 19.98 | 5,874 | 6,405 | 59 | .88 |
| Ohio | 499 | 10,505 | 9,780 | 21.04 | 8,369 | 7,814 | 95 | 1.01 |
| Ind. | 549 | 11,840 | 11,921 | 21.56 | 9,627 | 9,494 | 221 | 2.08 |
| Ill.-Mich. 3/ | 256 | 5,756 | 6,941 | 22.48 | 4,639 | 5,639 | 31 | .60 |
| Wis. | 615 | 13,290 | 14,308 | 21.62 | 10,626 | 11,432 | 166 | 1.39 |
| Mo. | 2,159 | 47,188 | 52,216 | 21.86 | 38,296 | 41,992 | 670 | 1.58 |
| Iowa | 1,074 | 25,267 | 25,103 | 22.71 | 20,610 | 20,221 | 358 | 1.58 |
| N. Dak. - S. Dak. 3/ | 857 | 19,483 | 24,226 | 22.73 | 15,522 | 19,325 | 292 | 1.67 |
| Nebr. | 156 | 3,459 | 4,639 | 22.17 | 2,811 | 3,755 | 66 | 2.12 |
| Kans. | 338 | 7,440 | 8,135 | 22.01 | 5,914 | 6,607 | 109 | 1.64 |
| Va. | 124 | 2,554 | 2,273 | 20.60 | 2,038 | 1,834 | 75 | 3.27 |
| N. C. | 599 | 11,704 | 13,391 | 19.53 | 8,869 | 10,174 | 250 | 2.37 |
| S. C. | 554 | 9,427 | 11,915 | 21.38 | 7,495 | 9,462 | 225 | 2.65 |
| Ga. | 25 | 612 | 658 | 24.62 | 497 | 527 | 5 | .95 |
| Ark. | 85 | 1,843 | 1,984 | 21.56 | 1,497 | 1,610 | 37 | 2.26 |
| Texas | 659 | 15,118 | 18,087 | 22.94 | 11,701 | 14,367 | 375 | 2.76 |
| Colo. | 680 | 14,758 | 16,896 | 21.70 | 11,595 | 13,442 | 255 | 2.13 |
| Utah | 294 | 6,751 | 6,791 | 22.99 | 5,569 | 5,589 | 83 | 1.37 |
| Wash. 4/ | 568 | 14,098 | 14,993 | 24.81 | 11,556 | 12,071 | 97 | .76 |
| Oreg. 4/ | 56 | 1,217 | --- | 21.91 | 974 | --- | 12 | 1.10 |
| Calif. | 236 | 5,061 | --- | 21.48 | 4,073 | --- | 61 | 1.34 |
| | 2,018 | 41,498 | 47,919 | 20.57 | 33,240 | 37,734 | 704 | 1.89 |

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, November 1965

| Region and State | Tuber- culosis | Leu- kosis | Septi- cemia | Airsac- culitis | Synovitis | Tumors | Bruises | Cadaver | Contam- ination | Over- scald | Other | Total |
|------------------------|-------------------|---------------|-----------------|--------------------|-----------|--------|---------|---------|--------------------|----------------|-------|---------|
| No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. |
| N. Atl. | --- | 116 | 2,597 | 923 | 857 | 10 | 52 | 209 | 199 | 192 | 104 | 5,259 |
| E. N. Cent. | --- | 790 | 12,248 | 14,807 | 3,679 | 19 | 211 | 1,007 | 1,464 | 177 | 207 | 34,609 |
| W. N. Cent. | --- | 901 | 43,688 | 31,482 | 11,555 | 138 | 827 | 2,184 | 5,176 | 953 | 1,791 | 98,697 |
| S. Atl. | --- | 144 | 10,078 | 14,429 | 7,665 | 41 | 159 | 719 | 1,164 | 32 | 199 | 34,630 |
| S. Cent. | --- | 188 | 14,055 | 14,268 | 6,701 | 113 | 287 | 1,073 | 1,420 | 78 | 1,715 | 39,898 |
| West | --- | 148 | 25,108 | 23,170 | 2,983 | 47 | 681 | 970 | 1,644 | 704 | 713 | 56,168 |
| U. S. | 2 | 2,287 | 107,774 | 99,079 | 33,440 | 368 | 2,217 | 6,162 | 11,067 | 2,136 | 4,729 | 269,261 |
| Pa. | --- | 46 | 1,490 | 577 | 757 | 6 | 39 | 127 | 79 | 11 | 11 | 3,143 |
| Ohio | --- | 187 | 1,582 | 933 | 1,124 | 4 | 17 | 206 | 386 | 100 | 117 | 4,656 |
| Ind. | --- | 20 | 2,996 | 8,104 | 596 | --- | 72 | 282 | 173 | 7 | 16 | 12,266 |
| Ill.-Mich. 1/ | --- | 13 | 853 | 1,262 | 6 | 1 | 26 | 388 | 98 | 35 | 61 | 2,743 |
| Wis. | --- | 570 | 6,817 | 4,508 | 1,953 | 14 | 96 | 131 | 807 | 35 | 13 | 14,944 |
| Minn. | --- | 241 | 20,182 | 13,034 | 7,154 | 20 | 301 | 1,226 | 2,630 | 576 | 560 | 45,924 |
| Iowa | --- | 149 | 7,120 | 7,535 | 1,314 | 38 | 265 | 318 | 1,111 | 146 | 238 | 18,234 |
| Mo. | --- | 439 | 10,057 | 4,985 | 2,327 | 13 | 124 | 379 | 718 | 166 | 462 | 19,670 |
| N. Dak.-S. Dak. 1/ | --- | 12 | 785 | 1,131 | 211 | 41 | 53 | 103 | 312 | 36 | 450 | 3,134 |
| Nebr. | 2 | 54 | 3,951 | 2,822 | 362 | 24 | 78 | 59 | 205 | 7 | 43 | 7,607 |
| Kans. | --- | 6 | 1,593 | 1,975 | 187 | 2 | 6 | 99 | 200 | 22 | 38 | 4,128 |
| Va. | --- | 26 | 5,281 | 9,080 | 3,473 | 1 | 89 | 277 | 351 | 21 | 9 | 18,608 |
| N. C. | --- | 23 | 3,061 | 4,079 | 2,874 | 24 | 48 | 351 | 686 | 4 | 96 | 11,246 |
| S. C. | --- | 16 | 175 | 93 | 71 | --- | 9 | 8 | 3 | 3 | 27 | 405 |
| Ga. | --- | 27 | 285 | 310 | 226 | --- | 4 | 6 | 40 | 2 | 44 | 944 |
| Ark. | --- | 68 | 7,160 | 5,216 | 3,156 | 8 | 130 | 282 | 499 | 34 | 218 | 16,771 |
| Texas | --- | 111 | 4,432 | 6,989 | 2,942 | 70 | 96 | 480 | 702 | 13 | 1,183 | 17,018 |
| Colo. | --- | 2 | 861 | 3,786 | 57 | 7 | 49 | 64 | 106 | 2 | --- | 4,934 |
| Utah | --- | --- | 3,218 | 613 | 421 | 22 | 65 | 120 | 225 | 79 | 196 | 4,959 |
| Calif. | --- | 139 | 18,000 | 16,600 | 2,457 | 13 | 451 | 457 | 1,033 | 607 | 507 | 40,264 |

1/ Combined to avoid disclosure of individual operations.

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, November 1964 and 1965

| Region and State | Number inspected | Pounds | | Average live weight | | Total pounds certified | | Post-mortem condemnations | | | |
|------------------------|---------------------|---------------|--------|------------------------|--------|---------------------------|--------|---------------------------|-----------------|-----------------|---------|
| | | (live weight) | | inspected 1/ | | (Ready-to-cook wt.) | | Pounds (NYD) | | | |
| | | 1964 | 1965 | 1964 | 1965 | 1964 | 1965 | 1964 | 1965 | Percent | Percent |
| | | Thou. | Thou. | Pounds | Pounds | Pounds | Pounds | 1,000 pounds | 1,000 pounds | 1,000 pounds | Percent |
| N. Atl. | 68 | 50 | 442 | 9.13 | 8.78 | 443 | 304 | 8 | 18 | 1.48 | 4.53 |
| E. N. Cent. | 274 | 221 | 2,606 | 9.51 | 9.48 | 2,040 | 1,625 | 23 | 33 | .98 | 1.75 |
| W. N. Cent. | 823 | 1,044 | 7,033 | 8.55 | 8.80 | 5,550 | 7,261 | 104 | 169 | 1.65 | 2.05 |
| S. Atl. | 434 | 454 | 3,896 | 8.98 | 9.07 | 2,906 | 3,091 | 85 | 77 | 2.43 | 2.08 |
| S. Cent. | 43 | 56 | 340 | 7.91 | 8.21 | 259 | 353 | 1 | 8 | .33 | 1.93 |
| West | 104 | 40 | 918 | 8.83 | 7.78 | 710 | 231 | 13 | 15 | 1.57 | 5.40 |
| U. S. | 1,746 | 1,865 | 15,412 | 8.83 | 8.91 | 11,908 | 12,865 | 234 | 320 | 1.69 | 2.15 |
| Ohio | 87 | 71 | 850 | 9.81 | 9.33 | 639 | 507 | 5 | 8 | .71 | 1.35 |
| Wis. | 148 | 117 | 1,406 | 9.50 | 9.70 | 1,113 | 884 | 17 | 24 | 1.27 | 2.39 |
| Minn. | 712 | 841 | 6,122 | 8.60 | 8.87 | 4,833 | 5,902 | 85 | 138 | 1.55 | 2.06 |
| Iowa | 56 | 117 | 456 | 8.16 | 8.59 | 362 | 799 | 9 | 18 | 2.08 | 1.99 |
| Va. | 408 | 394 | 3,682 | 9.03 | 8.98 | 2,736 | 2,631 | 83 | 75 | 2.53 | 2.34 |
| Ark. 3/ | --- | 35 | --- | --- | 8.08 | --- | 215 | --- | 6 | --- | 2.23 |
| Calif. | 93 | 22 | 817 | 8.76 | 8.13 | 628 | 134 | 12 | 8 | 1.74 | 5.22 |

Fryer-roaster turkeys: Number condemned post mortem by cause, by regions and selected States, November 1965

| Region and State | Tuber- culosis | | Leu- kosis | | Septi- cemia | | Airsac- culitis | | Synovitis | | Tumors | | Bruises | | Cadaver | | Contam- ination | | Over- scald | | Other | | Total |
|---------------------|-------------------|-----|---------------|--------|-----------------|-----|--------------------|-----|-----------|-----|--------|-----|---------|-----|---------|-----|--------------------|-----|----------------|-----|--------|-------|-------|
| | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | | |
| N. Atl. | --- | 5 | 1,179 | 331 | 72 | 2 | 9 | 16 | 167 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1 | 1,782 | |
| E. N. Cent. | --- | 6 | 1,535 | 540 | 653 | 5 | 29 | 106 | 508 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 69 | 3,463 | | |
| W. N. Cent. | --- | 11 | 10,278 | 4,871 | 205 | 3 | 140 | 563 | 2,172 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 104 | 18,982 | | |
| S. Atl. | --- | 5 | 4,810 | 2,230 | 100 | 2 | 67 | 200 | 732 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 64 | 8,245 | | |
| S. Cent. | --- | 8 | 168 | 629 | 23 | --- | 14 | 19 | 107 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10 | 978 | | |
| West | --- | --- | 366 | 2,224 | 5 | --- | 23 | 19 | 57 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 2,698 | | |
| U. S. | --- | 35 | 18,336 | 10,825 | 1,058 | 12 | 282 | 923 | 3,743 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 248 | 36,148 | | |
| Ohio | --- | 1 | 238 | 23 | 3 | 4 | 2 | 76 | 316 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 66 | 735 | | |
| Wis. | --- | 5 | 1,198 | 506 | 649 | 1 | 26 | 23 | 177 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1 | 2,592 | | |
| Minn. | --- | 7 | 8,902 | 3,914 | 138 | --- | 93 | 449 | 1,815 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 77 | 15,506 | | |
| Iowa | --- | --- | 929 | 441 | 59 | 3 | 41 | 58 | 150 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 15 | 2,208 | | |
| Va. | --- | 3 | 4,664 | 2,211 | 90 | 1 | 61 | 179 | 698 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 60 | 8,002 | | |
| Ark. | --- | 1 | 99 | 345 | 15 | --- | 12 | 14 | 74 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8 | 568 | | |
| Calif. | --- | --- | 212 | 849 | 5 | --- | 23 | 6 | 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1,117 | | |

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, November 1964 and 1965

| Region and State | Number inspected | Pounds | | Average live weight inspected 1/ (live weight) | Total pounds | | Post-mortem condemnations | | | |
|------------------------|---------------------|---------------|-------|---|--------------|-------|---------------------------|--------|------------|---------|
| | | (live weight) | | | certified | | Pounds (NYD) | | Percent 2/ | |
| | | 1964 | 1965 | | 1964 | 1965 | 1964 | 1965 | 1964 | 1965 |
| | | Thou. | Thou. | | 1,000 | 1,000 | pounds | pounds | Percent | Percent |
| N. Atl. 3/ | | --- | --- | | --- | --- | --- | --- | --- | --- |
| E. N. Cent. 3/ | 3 | 1 | 17 | 25.67 | 61 | 13 | --- | --- | --- | --- |
| W. N. Cent. | 9 | 13 | 201 | 16.67 | 121 | 161 | 1 | 1 | 0.74 | 0.55 |
| S. Atl. 3/ | --- | 2 | 51 | --- | --- | 41 | --- | 1 | --- | 2.35 |
| S. Cent. 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| West 3/ | 4 | 1 | 61 | 15.25 | 50 | 9 | --- | --- | --- | --- |
| U. S. | 16 | 17 | 288 | 18.00 | 232 | 224 | 1 | 2 | .39 | .79 |
| Minn. | 7 | 9 | 111 | 14.83 | 89 | 109 | 1 | 1 | 1.73 | 1.10 |

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, November 1965

| Region and State | Tuber- culosis | Leu- kosis | Septi- cemia | Airsac- culitis | Synovitis | Tumors | Bruises | Cadaver | Contam- ination | Over- scald | Other | Total |
|---------------------|-------------------|---------------|-----------------|--------------------|-----------|--------|---------|---------|--------------------|----------------|-------|-------|
| | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. |
| N. Atl. | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| E. N. Cent. | --- | --- | 9 | --- | --- | --- | --- | --- | --- | --- | --- | 9 |
| W. N. Cent. | 3 | --- | 42 | 21 | --- | 2 | 9 | 17 | 5 | 3 | --- | 102 |
| S. Atl. | --- | 2 | 34 | 25 | 2 | --- | --- | --- | 1 | --- | --- | 64 |
| S. Cent. | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| West | --- | 1 | --- | 1 | --- | --- | --- | --- | 1 | --- | --- | 3 |
| U. S. | 3 | 3 | 85 | 47 | 2 | 2 | 9 | 17 | 7 | 3 | --- | 178 |
| Minn. | --- | --- | 42 | 21 | --- | 1 | 6 | 16 | 4 | --- | --- | 90 |

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

OFFICIAL BUSINESS

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.